

Notice of Allowability

Application No.

09/941,853

Examiner

Evan Pert

Applicant(s)

CANELLA, ROBERT L.

Art Unit

2826

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the RCE filed August 18, 2003.
2. ☒ The allowed claim(s) is/are 1,3,5,7-18,20-26,44-55,66 and 67.
3. ☒ The drawings filed on 8-18-03 (with 6-14-02) are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 0305 & 0605
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

Allowable Subject Matter

1. Claims 1, 3, 5, 7-18, 20-26, 44-55, and 66-67 (renumbered as claims 1-36) are allowed.

2. The following is an examiner's statement of reasons for allowance:

The prior art does not disclose applicant's claimed substrate assembly or electrical component, characterized by, in the context of *all* the claim limitations, for example, by a "spring-biased electrical contact that may be deflected into a via disposed at a location aligned with the spring-biased electrical contact," or "a plurality of vias opening onto a surface of a substrate and comprising a recess into which one of the spring-biased contacts may be deflected," or that a "spring-biased contact," in the context of the totality of claim limitations, includes a "contact element" which is "configured to remove or puncture through a layer of contaminants formed on an exterior surface of a lead element extending from an IC device, the contact element comprising a plurality of alternating grooves or ridges, a plurality of protrusions, or a roughened surface."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Perhaps Kohn et al. is the closest art cited by the examiner in this Office Action, yet in the Kohn et al. reference, while deflection of a contact is into a recess (cavity), the recess/cavity is not "disposed at a location aligned" with a via and/or the via does not "open onto a surface of the substrate and comprising a recess (into which deflection of the contact occurs)," as is claimed by applicant.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Evan Pert whose telephone number is 571-272-1969. The examiner can normally be reached on M-F (7:30AM-3:30 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on 571-272-1915. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ETP
August 20, 2005


EVAN PERT
PRIMARY EXAMINER